THE SCIENCE WORLD
A Monthly e Magazine
ISSN:2583-2212
Popular Article
March, 2026 Vol.6(3), 778-789

Soil Organic Carbon – The Heartbeat of Sustainable Farming

Nikita B.Gorde[1], Gauri R.Andhale[2]
[1]Department of Soil Science, Post Graduate Institute,
Mahatma Phule Krishi Vidyapeeth, Rahuri
[2]Department of Genetics and Plant Breeding, Post Graduate Institute,
Mahatma Phule Krishi Vidyapeeth, Rahuri
Email.id- nikitagorde88@gmail.com
doi.org/10.5281/ScienceWorld.19480439

Abstract

Soil Organic Carbon (SOC) is the "heartbeat" of sustainable agriculture, representing the carbon in decomposed organic matter and a key indicator of soil health. It stabilizes soil structure, prevents erosion, holds water, enhances nutrient availability, and fuels microbial activity. Excessive tillage, residue burning, and chemical overuse have reduced SOC below 0.5% in many areas, causing compaction, poor root growth, and lower fertilizer efficiency. Restoring SOC above 0.75% through residue recycling, organic manuring, and conservation tillage can improve fertility, boost productivity, and mitigate climate change, highlighting that "saving the soil saves agriculture and food security.

Introduction

After the Green Revolution, agricultural production grew rapidly, but modern farming highlights the need for sustainability. Extensive chemical use boosted yields but caused declining soil organic carbon, reduced microbial diversity, nutrient imbalances, and groundwater contamination. Climate change with rising temperatures, irregular rainfall, and extreme events further threatens productivity. Sustainable practices that promote soil health, balanced nutrients, efficient resource use, and active biological processes are essential. Soil organic carbon, a key indicator of soil health, maintains structure, water-holding capacity, nutrient release, and microbial activity. Conserving and enhancing it improves fertility, supports long-term productivity, and sequesters carbon to mitigate climate change, making it a priority for sustainable agriculture.

❖ **What is Soil Organic Carbon (SOC)?**

Soil Organic Carbon is the carbon component of organic matter found in the soil. It is derived from the decomposition of plant and animal residues, cow dung, compost, vermicompost, and crop remains.

Characteristics:

- Organic carbon is the primary constituent of soil organic matter. On average, soil organic matter contains about **58% carbon**.
- It is considered a vital indicator of soil health and fertility.
- Fresh, undecomposed plant materials lying on the soil surface are generally not included in this measurement until they begin to break down into the soil matrix.
- It acts as a "glue" that binds soil particles together, improving soil structure.
- Enhanced structure prevents soil erosion and protects the topsoil.
- Boosts the population and efficiency of microbes, which manage nutrient cycling and help crops compete against pests and diseases.
- Increases the soil's ability to absorb, drain, and retain water.

❖ **Importance of Soil Organic Carbon (SOC)**

1. Improves Soil Structure and Stability

- SOC acts as a natural binding agent that helps soil particles form stable **aggregates**.
- The soil becomes crumbly and porous, which reduces **compaction** and prevents **erosion**.
- This leads to better root penetration and overall soil productivity.

2. Increases Water Holding Capacity

- Organic carbon acts like a **sponge**; it can hold up to seven times its own weight in water.
- It increases the availability of water for crops, helping them survive during dry spells. This is especially critical for **rainfed (dryland) farming** to maintain consistent yields.

3. Enhances Nutrient Availability

- Soil organic carbon serves as a reservoir for essential nutrients like Nitrogen (N), Phosphorus (P), and Potassium (K).
- It increases the **Cation Exchange Capacity (CEC)** of the soil.
- This allows the soil to store nutrients for longer periods and release them to the plants as needed, preventing nutrient leaching.

Official Website
www.thescienceworld.net
thescienceworldmagazine@gmail.com
Published 30/03/2026

4. Promotes Microbial Growth & Soil Health

- SOC is the primary source of food and energy for soil microorganisms.
- These microbes maintain the **nutrient cycle** and improve the biological health of the soil.
- It makes the soil "alive" and more biologically active.

5. Climate Change Mitigation (Carbon Sequestration)

- Soil has a much higher capacity to store carbon than the atmosphere.
- By increasing SOC, we capture atmospheric **Carbon Dioxide (CO_2)** and store it in the ground.
- This helps reduce the greenhouse effect and combats global warming.

6. pH and Temperature Buffering

- Organic matter helps the soil resist sudden changes in its **pH levels** (acidity/alkalinity) and **temperature**.
- It creates a stable and balanced environment, protecting crops from extreme soil conditions.

❖ ***How does Organic Carbon (OC) enter the soil?***

Soil Organic Carbon (SOC) is a fundamental and dynamic component of soil health, accumulating through various biological and management processes.

1. The Role of Photosynthesis

- The journey begins with **photosynthesis**, where plants convert atmospheric carbon dioxide (CO_2) into carbohydrates. These carbohydrates provide the energy and nutrition required for the growth of roots, stems, and shoots.

2. Primary Natural Sources

- **Plant Residues:** Fallen leaves, decaying stems, and crop remains are major contributors.
- **Root Turnover:** The growth and natural death of roots (root turnover) serve as a significant underground source of carbon.
- **Root Exudates:** Roots secrete carbon-rich compounds (exudates) directly into the soil, which act as a vital food source for soil microorganisms.

3. External & Biological Inputs

- **Organic Additives:** Inputs like cow dung (FYM), compost, green manure, and animal/microbial residues directly add carbon to the soil matrix.
- **Microbial Activity:** Bacteria, fungi, and other microbes use this carbon to grow and reproduce. Through complex bio-chemical processes, a portion of this carbon is

Official Website
www.thescienceworld.net
thescienceworldmagazine@gmail.com
Published 30/03/2026

converted into stable humus and organo-mineral complexes, which can be stored in the soil for a long duration.

4. The Decomposition and Release Process

It is a continuous cycle of "in and out":

- **Microbial Respiration:** More than half of the organic carbon entering the soil is decomposed by microbes and released back into the atmosphere as CO_2 through respiration.
- **The Depletion Risk:** If plant growth slows down or stops, the supply of new carbon is cut off. In such cases, microbes begin to consume the **stored organic carbon**, leading to a gradual decline in soil carbon levels.

The Soil Ecosystem & Carbon Cycle



❖ **How much Soil Organic Carbon (SOC) is retained in the soil?**

The amount of organic carbon that actually stays in the soil is not fixed; it is a dynamic balance influenced by soil type, climate, management practices, and biological factors.

1. The Role of Soil Texture (Clay vs. Sandy)

Every soil has a different "storage capacity" for carbon:

- **Clayey Soils:** These are better at retaining carbon. The tiny clay particles and soil **aggregates** (clumps) physically trap organic matter, protecting it from rapid decomposition by microorganisms.
- **Sandy Soils:** Due to larger particles and lack of protection, organic matter decomposes faster in sandy soils, making it harder to maintain high carbon levels.

2. The Influence of Climate and Rainfall

- Climate dictates how much "input" the soil receives:

Official Website
www.thescienceworld.net
thescienceworldmagazine@gmail.com
Published 30/03/2026

- **High Rainfall Areas:** Higher moisture leads to better plant growth (biomass), which means more organic residues are returned to the soil. Therefore, soils in high-rainfall regions generally have higher carbon levels than those in arid or semi-arid regions.
- **Temperature:** (Implicitly) In very hot climates, microbial activity is faster, which can lead to quicker carbon loss if not managed properly.

3. Impact of Agricultural Management

- How a farmer manages the land is often the deciding factor in carbon retention:
- Balanced nutrient management, use of organic fertilizers (manure/compost), retaining crop residues in the field, and proper crop selection.
- Heavy **tillage (ploughing)** breaks soil aggregates and exposes stored carbon to air, causing it to burn off as *CO*2.
- Soil **erosion** (washing away of topsoil) and the complete removal of crop residues for fodder or fuel significantly deplete carbon reserves

❖ ***Levels of Organic Carbon (OC) for Fertile Soil:***

To determine the fertility of your land, it is essential to conduct a Soil Test and check the percentage of Organic Carbon. The levels are generally categorized as follows:

Organic Carbon (%)	Fertility Status	Recommendation
Below 0.5%	Low Fertility	Immediate addition of organic manures is needed.
0.5% – 0.75%	Moderate Fertility	Average health; needs consistent organic inputs.
Above 0.75%	High Fertility	Excellent soil health; ideal for sustainable yields.

Regular soil testing is the only way to accurately monitor these levels and adjust your fertilization plan accordingly.

❖ ***Major Causes of Declining Soil Organic Carbon (SOC)***

In many regions, SOC levels have dropped **below 0.5%**, which is a serious threat to long-term soil health. Here are the primary reasons:

- **Burning of Crop Residues:** Instead of returning carbon to the soil, burning converts it into CO_2 releasing it into the atmosphere and polluting the air.
- **Excessive Tillage (Ploughing):** Frequent and deep ploughing exposes the buried organic matter to oxygen. This increases **oxidation**, causing the carbon to burn off rapidly.

Official Website
www.thescienceworld.net
thescienceworldmagazine@gmail.com
Published 30/03/2026

- **Inadequate Use of Organic Fertilizers:** A lack of Farm Yard Manure (FYM), compost, or green manure reduces the "fresh supply" of carbon to the soil.
- **Over reliance on Chemical Fertilizers:** Excessive use of synthetic fertilizers without organic inputs disturbs the biological balance and harms beneficial soil microbes.
- **Lack of Crop Rotation:** Continuous monocropping (growing the same crop year after year) reduces soil biodiversity and exhausts specific nutrient reserves.
- **Soil Erosion:** The topmost layer of the soil contains the highest concentration of organic carbon. When this layer is washed or blown away by **erosion**, the richest carbon source is lost.

❖ ***Consequences of Declining Soil Organic Carbon (SOC)***

In many regions, SOC levels have plummeted to **0.3% – 0.5%**, which is considered a critical warning sign for soil health. This depletion negatively impacts the physical, chemical, and biological properties of the soil.

1. Degradation of Soil Structure

- The soil becomes hard and compacted.
- As a result, the natural "tilth" or fluffiness (porosity) is lost, making the land difficult to farm.

2. Poor Water Management

- The Water Holding Capacity (WHC) decreases significantly.
- Rainwater or irrigation water does not soak in; instead, it runs off the surface rapidly, leading to wasted resources and potential erosion.

3. Reduced Nutrient Efficiency

- Even if fertilizers are applied, the soil loses its ability to absorb and utilize nutrients efficiently.
- This leads to nutrient leaching or fixation, where plants cannot access the food provided to them.

4. Stunted Root Growth

- Due to the hard and compacted nature of low-carbon soil, crop roots cannot penetrate deep into the earth.
- Poor root systems mean the plant becomes weak and more susceptible to environmental stress.

5. Yield Instability and High Costs

- Farmers often face unstable production and fluctuating yields.

Official Website
www.thescienceworld.net
thescienceworldmagazine@gmail.com
Published 30/03/2026

- A major irony in modern farming is that even after increasing fertilizer use, the expected yield is not achieved. The hidden culprit is the lack of organic carbon.

❖ ***Effective Measures to Increase Soil Organic Carbon (SOC)***

- **Balanced Nutrient Management:** Use soil conditioners and the appropriate mix of fertilizers to maintain chemical balance.
- **Residue Recycling:** Instead of burning crop residues, incorporate them back into the soil or use them as mulch.
- **Organic Inputs:** Apply farmyard manure (FYM), compost, vermicompost, and green manures regularly.
- **Continuous Ground Cover:** Reduce the fallow (empty) period and keep the soil covered with crops throughout the year to prevent carbon oxidation.
- **Cropping Systems:** Adopt perennial crops, intercropping, or mixed cropping patterns to increase diverse root biomass.
- **Conservation Tillage:** Practice minimum tillage and implement erosion control measures to protect soil structure.
- **Mulching:** Cover the soil surface with dry waste, stalks, or grass to protect it from direct sunlight and erosion.
- **Biotechnology:** Use biofertilizers and microbial-based technologies (such as waste decomposers) to accelerate healthy decomposition.

Integrated Soil Health & SOC Management

Official Website
www.thescienceworld.net
thescienceworldmagazine@gmail.com
Published 30/03/2026

Conclusion

Soil Organic Carbon (SOC) is not just a single component; it is the lifeline and pillar of sustainable agriculture. It plays a critical role in maintaining soil structure, water retention, nutrient availability, microbial activity, and climate change mitigation. Only by maintaining a balanced level of organic carbon the soil remain fertile, living, and productive in the long run.

"**Save the soil to save agriculture; save agriculture to ensure food security**."

References

Brady, N. C., & Weil, R. R. (2008). The Nature and Properties of Soils. Prentice Hall.

Bronick, C. J., & Lal, R. (2005). Soil Structure and Management: A Review. Geoderma, 124(1-2), 3-22.

Doran, J. W., & Zeiss, M. R. (2000). Soil health and sustainability: Managing the biotic component of soil quality. Applied Soil Ecology, 15(1), 3–11.

Stott, D. E., & DiGiorgio, C. H. (2015). Carbon sequestration in agricultural soils: Principles and strategies. In R. Lal & B. A. Stewart (Eds.), Soil Management: Sustainable Agriculture and Ecosystem Services (pp. 103–118). CRC Press.

Bhattacharyya, R., et al. (2010). Soil organic carbon stocks under different land uses in a tropical dry region of India. Agriculture, Ecosystems & Environment, 138(3–4), 236–245.