THE SCIENCE WORLD
A Monthly e Magazine
ISSN:2583-2212
Popular Article
Oct, 2026 Vol.6(10), 3369-3372

# Antibiotic Resistance in Sheep and Goats: A Growing Problem We Should Not Ignore

**Dr.Kalyani putty**
Associate Professor & Head
Department of Animal Biotechnology
College of Veterinary Science, Rajendranagar, Hyderabad
P.V.Narsimha Rao telangana Veterianry University
doi.org/10.5281/ScienceWorld.23944028

## Introduction

Sheep and goats play an important role in the livelihoods of farmers, particularly small and marginal farmers. They provide meat, milk, manure and a regular source of income. However, diseases caused by bacteria can affect their health, reduce production and cause financial losses. Antibiotics are important medicines used by veterinarians to treat bacterial infections. Unfortunately, the improper and repeated use of these medicines is contributing to a growing problem called **antibiotic resistance**. This problem can make certain bacterial infections more difficult to treat, increase treatment costs and threaten both animal and human health. Therefore, every sheep and goat farmer should understand antibiotic resistance and learn how to prevent it.

## What Is Antibiotic Resistance?

Antibiotic resistance occurs when bacteria develop the ability to survive or multiply despite exposure to an antibiotic that would normally inhibit or kill them. It is important to remember that the animal does not become resistant to the antibiotic; the bacteria causing the infection become resistant. For example, imagine a goat suffering from a bacterial infection that initially responds well to a particular antibiotic. If the infection is caused by resistant bacteria, the same medicine may no longer work effectively. The animal may remain sick, require further veterinary examination and need a different treatment. Not every treatment failure is caused by antibiotic resistance, however. Incorrect diagnosis, reinfection, inappropriate drug selection and problems with administering the medicine can also contribute to poor treatment outcomes.



Official Website
www.thescienceworld.net
thescienceworldmagazine@gmail.com
*Published 30/10/2026*

**How Does Antibiotic Resistance Develop?**

Bacterial populations can contain differences in their ability to survive antibiotics. When an antibiotic is used, susceptible bacteria are killed or inhibited, while resistant bacteria may survive and multiply. Over time, resistant bacteria can become more common and may spread between animals, people and the environment. Unnecessary antibiotic use, inappropriate drug selection, incorrect dosing and repeated treatment without veterinary assessment can increase the pressure that favours resistant bacteria. Antibiotics should therefore be used only when needed and according to veterinary advice. Using more antibiotics does not necessarily mean better treatment; the right diagnosis and appropriate treatment are far more important.

**Common Diseases in Sheep and Goats That May Require Antibiotics**

Sheep and goats may suffer from bacterial diseases such as bacterial pneumonia, infected wounds, foot infections, mastitis and certain reproductive tract infections. Some conditions, including abscesses caused by particular bacteria, may require additional management rather than antibiotics alone. Antibiotics are not effective against viruses, and many cases of diarrhoea or respiratory illness have causes that cannot be identified from clinical signs alone. For example, a farmer may notice coughing and nasal discharge in several goats and immediately begin antibiotic treatment. However, these signs may be associated with different infectious agents or management problems. A veterinarian can examine the animals, assess the likely cause and determine whether antibiotics are necessary.

**Why Are Sheep and Goat Farmers at Risk of Antibiotic Resistance Problems?**

In some farming situations, antibiotics are purchased or administered without proper veterinary consultation. Farmers may reuse leftover medicines, follow advice from neighbours or repeat a previous treatment because it appeared to work earlier. However, an antibiotic that helped one animal may not be appropriate for another animal or a different disease. Farmers may also stop paying attention to treatment instructions once an animal appears better. These practices can result in ineffective treatment and increase the risk of selecting resistant bacteria. Overcrowding, poor ventilation, inadequate nutrition, contaminated water and unhygienic housing can further increase the spread of infections and the need for treatment. Improving farm management is therefore an important part of preventing antibiotic resistance.

**How Does Antibiotic Resistance Affect Farmers?**

Antibiotic resistance can create serious economic problems for sheep and goat farmers. When an infection does not respond to treatment, animals may remain sick for longer periods, gain weight slowly, produce less milk or experience reproductive problems. Farmers may spend more money on veterinary visits, diagnostic tests and additional treatment. In severe cases, animals may



Official Website
www.thescienceworld.net
thescienceworldmagazine@gmail.com
*Published 30/10/2026*

die, resulting in direct financial losses. Resistant bacteria can also spread among animals, making disease control more difficult. For small-scale farmers who depend on livestock for their daily income, these losses can have a considerable impact on their livelihood. Preventing infections and using antibiotics responsibly can help reduce unnecessary expenditure and protect animal productivity.

**Can Antibiotic Resistance Spread from Animals to Humans?**

Yes, resistant bacteria can sometimes spread between animals and humans through direct contact, contaminated food or environmental pathways. Farmers, animal handlers, veterinarians and slaughterhouse workers may be exposed to bacteria while handling sick animals, manure or contaminated materials. Resistant bacteria may also enter the food chain if appropriate hygiene and food-safety practices are not followed. This does not mean that every person who comes into contact with livestock will develop an infection. However, good hygiene, safe food handling and responsible antibiotic use help reduce the risk. Antibiotic resistance is therefore a **One Health problem**, involving the health of animals, humans and the environment.

**The Importance of Antibiotic Sensitivity Testing**

When an infection repeatedly fails to respond to appropriate treatment, the veterinarian may recommend collecting a suitable sample for bacterial culture and antibiotic sensitivity testing. This laboratory examination helps identify the bacteria and determine which tested antibiotics are likely to be effective. For example, if a goat has a persistent wound infection, testing may help the veterinarian choose a more suitable medicine rather than repeatedly prescribing antibiotics without knowing the cause of treatment failure. Such testing is particularly valuable in recurring, severe or difficult-to-treat infections when appropriate laboratory facilities are available.

**Responsible Antibiotic Use: A Shared Responsibility**

Antibiotic resistance cannot be controlled by veterinarians alone. Farmers, animal-health workers, pharmaceutical suppliers, laboratories and government agencies all have a role to play. Farmers can contribute by reporting treatment failures, following veterinary advice, maintaining health records and avoiding unnecessary antibiotic use. Veterinarians can support farmers through accurate diagnosis, appropriate prescribing, preventive-health programmes and education. Better cooperation between farmers and veterinarians will help preserve the effectiveness of antibiotics for future generations.

**Conclusion**

Antibiotics are valuable medicines that protect sheep and goats from susceptible bacterial infections when used appropriately. However, their misuse can encourage antibiotic resistance, making some infections more difficult and expensive to treat. Farmers can help address this



Official Website
www.thescienceworld.net
thescienceworldmagazine@gmail.com
*Published 30/10/2026*

problem through veterinary consultation, correct treatment practices, vaccination, good hygiene, improved nutrition and responsible animal husbandry. They should also follow the prescribed withdrawal periods for milk and meat. The message is simple: prevent disease wherever possible, use antibiotics only when needed, and always use them responsibly under veterinary guidance. Healthy animals, safer food and sustainable farming begin with informed decisions on the farm.



Official Website
www.thescienceworld.net
thescienceworldmagazine@gmail.com
*Published 30/10/2026*